Contents:

Volume 124, Numbers 1 & 2, January 1994

Mini-review

1 **Bcl-2 and the regulation of programmed cell death.**
J. C. Reed

Regular Articles

7 **Cytoplasmic retention of *Xenopus* nuclear factor 7 before the mid blastula transition uses a unique anchoring mechanism involving a retention domain and several phosphorylation sites.**
X. Li, W. Shou, M. Kloc, B. A. Reddy, and L. D. Etkin

19 **Centrosome assembly in vitro: Role of γ-tubulin recruitment in Xenopus sperm aster formation.**
M.-A. Félix, C. Antony, M. Wright, and B. Maro

33 **Differential trafficking of soluble and integral membrane secretory granule-associated proteins.**
S. L. Milgram, B. A. Eipper, and R. E. Mains

43 **Redistribution of a Rab3-like GTP-binding protein from secretory granules to the Golgi complex in pancreatic acinar cells during regulated exocytosis.**
B. P. Jena, F. D. Gumkowski, E. M. Konieczko, G. F. von Mollard, R. Jahn, and J. D. Jamieson

55 **Characterization of the budding compartment of mouse hepatitis virus: Evidence that transport from the RER to the Golgi complex requires only one vesicular transport step.**
J. Krijnse-Locker, M. Ericsson, P. J. M. Rottier, and G. Griffiths

71 **Expression and modulation of CD44 variant isoforms in humans.**
C. R. Mackay, H.-J. Terpe, R. Stauder, W. L. Marston, H. Stark, and U. Günthert

83 **Basolateral to apical transcytosis in polarized cells is indirect and involves BFA and trimeric G protein sensitive passage through the apical endosome.**
M. Barroso and E. S. Sztul

101 **A small rab GTPase is distributed in cytoplasmic vesicles in non polarized cells but colocalizes with the tight junction marker ZO-1 in polarized epithelial cells.**
A. Zahraoui, G. Joberty, M. Arpin, J. J. Fontaine, R. Hellio, A. Tavitian, and D. Louvard

117 **Biochemical and molecular characterization of the chicken cysteine-rich protein, a developmentally regulated LIM-domain protein that is associated with the actin cytoskeleton.**
A. W. Crawford, J. D. Pino, and M. C. Beckerle

129 **In vivo phosphorylation of regulatory light chain of myosin II during mitosis of cultured cells.**
Y. Yamakita, S. Yamashiro, and F. Matsumura

139 **Sodium channels aggregate at former synaptic sites in innervated and denervated regenerating muscles.**
M. T. Lupa and J. H. Caldwell

149 **Cerebroglycan: An integral membrane heparan sulfate proteoglycan that is unique to the developing nervous system and expressed specifically during neuronal differentiation.**
C. S. Stipp, E. D. Litwack, and A. D. Lander

161 **Syndecan-1 expressed in Schwann cells causes morphological transformation and cytoskeletal reorganization and associates with actin during cell spreading.**
D. J. Carey, R. C. Stahl, G. Cizmeci-Smith, and V. K. Asundi

171 **Latent transforming growth factor-β1 associates to fibroblast extracellular matrix via latent TGF-β binding protein.**
J. Taipale, K. Miyazono, C.-H. Heldin, and J. Keski-Oja

183 **Matrix-bound thrombospondin promotes angiogenesis in vitro.**
R. F. Nicosia and G. P. Tuszynski

195 **Deletions in the cytoplasmic domain of platelet-endothelial cell adhesion molecule-1 (PECAM-1, CD31) result in changes in ligand binding properties.**
H. M. DeLisser, J. Chilkotowsky, H.-C. Yan, M. L. Daise, C. A. Buck, and S. M. Albelda

205 **Replacement of the phospholipid-anchor in the contact site A glycoprotein of *D. discoideum* by a transmembrane region does not impede cell adhesion but reduces residence time on the cell surface.**
A. Barth, A. Müller-Taubenberger, P. Taranto, and G. Gerisch

217 **ADDITIONS AND CORRECTIONS**

Volume 124, Number 3, February 1994

Mini-review

223 **Motile kinetochores and polar ejection forces dictate chromosome position on the vertebrate mitotic spindle.**
C. L. Rieder and E. D. Salmon

Regular Articles

235 **Nuclear assembly with λ DNA in fractionated *Xenopus* egg extracts: An unexpected role for glycogen in formation of a higher order chromatin intermediate.**
P. Hartl, E. Olson, T. Dang, and D. J. Forbes

249 **Disruption of pre-mRNA splicing in vivo results in reorganization of splicing factors.**
R. T. O'Keefe, A. Mayeda, C. L. Sadowski, A. R. Krainer, and D. L. Spector

261 **A 69-kD protein that associates reversibly with the Sm core domain of several spliceosomal snRNP species.**
W. Hackl, U. Fischer, and R. Lührmann

273 **A phosphatidylinositol transfer protein controls the phosphatidylcholine content of yeast Golgi membranes.**
T. P. McGee, H. B. Skinner, E. A. Whitters, S. A. Henry, and V. A. Bankaitis

289 **Expression of a dominant allele of human ARF1 inhibits membrane traffic in vivo.**
C. Zhang, A. G. Rosenwald, M. C. Willingham, S. Skuntz, J. Clark, and R. A. Kahn

301 **Endocytosis occurs independently of annexin VI in human A431 cells.**
E. Smythe, P. D. Smith, S. M. Jacob, J. Theobald, and S. E. Moss

307 **Protein kinase C activators inhibit receptor-mediated potocytosis by preventing internalization of caveolae.**
E. J. Smart, D. C. Foster, Y.-S. Ying, B. A. Kamen, and R. G. W. Anderson

315 **The unconventional myosin, Myo2p, is a calmodulin target at sites of cell growth in *Saccharomyces cerevisiae*.**
S. E. Brockerhoff, R. C. Stevens, and T. N. Davis

325 **The COOH Terminus of the c-Abl tyrosine kinase contains distinct F- and G-actin binding domains with bundling activity.**
R. A. Van Etten, P. K. Jackson, D. Baltimore, M. C. Sanders, P. T. Matsudaira, and P. A. Janmey

341 **Three-dimensional structure of a single filament in the *Limulus* acrosomal bundle: Scruin binds to homologous helix-loop-beta motifs in actin.**
M. F. Schmid, J. M. Agris, J. Jakana, P. Matsudaira, and W. Chiu

351 **Calcineurin-dependent growth control in *Saccharomyces cerevisiae* mutants lacking *PMC1*, a homolog of plasma membrane Ca^{2+} ATPases.**
K. W. Cunningham and G. R. Fink

365 **HIV-1 transactivator protein Tat induces proliferation and TGFβ expression in human articular chondrocytes.**
M. Lotz, I. Clark-Lewis, and V. Ganu

373 **Isolation of a highly specific ligand for the $\alpha_5\beta_1$ integrin from a phage display library.**
E. Koivunen, B. Wang, and E. Ruoslahti

381 **Human laminin M chain (merosin): Complete primary structure, chromosomal assignment, and expression of the M and A chains in human fetal tissues.**
R. Vuolteenaho, M. Nissinen, K. Sainio, M. Byers, R. Eddy, H. Hirvonen, T. B. Shows, H. Sariola, E. Engvall, and K. Tryggvason

395 ADDITIONS AND CORRECTIONS

397 ADDITIONS AND CORRECTIONS

399 ADDITIONS AND CORRECTIONS

Volume 124, Number 4, February 1994

Mini-review on the Cellular Mechanisms of Disease

401 **Fibroblasts, myofibroblasts, and wound contraction.**
F. Grinnell

Regular Articles

405 **Isolation of a matrix that binds *medial* Golgi enzymes.**
P. Slusarewicz, T. Nilsson, N. Hui, R. Watson, and G. Warren

415 **ADP-ribosylation factor and coatomer couple fusion to vesicle budding.**
Z. Elazar, L. Orci, J. Ostermann, M. Amherdt, G. Tanigawa, and J. E. Rothman

425 **Inhibition of GTP hydrolysis by Sar1p causes accumulation of vesicles that are a functional intermediate of the ER-to-Golgi transport in yeast.**
T. Oka and A. Nakano

435 **The cytoplasmic domain of P-selectin contains a sorting determinant that mediates rapid degradation in lysosomes.**
S. A. Green, H. Setiadi, R. P. McEver, and R. B. Kelly

449 ***Plasmodium falciparum* exports the Golgi marker sphingomyelin synthase into a tubovesicular network in the cytoplasm of mature erythrocytes.**
H. G. Elmendorf and K. Haldar

463 **Intracellular calcium and cAMP regulate directional pigment movements in teleost erythrophores.**
K. J. Kotz and M. A. McNiven

475 **Genes critical for muscle development and function in *Caenorhabditis elegans* identified through lethal mutations.**
B. D. Williams and R. H. Waterston

491 **Assembly of body wall muscle and muscle cell attachment structures in *Caenorhabditis elegans*.**
M. C. Hresko, B. D. Williams, and R. H. Waterston

507 **Localization of the Kar3 kinesin heavy chain-related protein requires the Cik1 interacting protein.**
B. D. Page, L. L. Satterwhite, M. D. Rose, and M. Snyder

521 **Novel inhibitory action of tunicamycin homologues suggests a role for dynamic protein fatty acylation in growth cone-mediated neurite extension.**
S. I. Patterson and J. H. Pate Skene

537 **Characterization of apoptosis in cultured rat sympathetic neurons after nerve growth factor withdrawal.**
S. N. Edwards and A. M. Tolkovsky

547 **Cell movement elicited by epidermal growth factor receptor requires kinase and autophosphorylation but is separable from mitogenesis.**
P. Chen, K. Gupta, and A. Wells

557 **Betaglycan can act as a dual modulator of TGF-β access to signaling receptors: Mapping of ligand binding and GAG attachment sites.**
F. López-Casillas, H. M. Payne, J. L. Andres, and J. Massagué

569 **Interleukin 10 inhibits transforming growth factor-β synthesis required for osteogenic commitment of mouse bone marrow cells.**
P. Van Vlasselaer, B. Borremans, U. van Gorp, J. R. Dasch, and R. De Waal-Malefyt

579 **Ovotransferrin and ovotransferrin receptor expression during chondrogenesis and endochondral bone formation in developing chick embryo.**
C. Gentili, R. Doliana, P. Bet, G. Campanile, A. Colombatti, F. D. Cancedda, and R. Cancedda

589 **Evidence that cadherins play a role in the downregulation of integrin expression that occurs during keratinocyte terminal differentiation.**
K. J. Hodivala and F. M. Watt

601 **Arrangement of domains, and amino acid residues required for binding of vascular cell adhesion molecule-1 to its counter-receptor VLA-4 ($\alpha_4\beta_1$).**
L. Osborn, C. Vassallo, B. Griffiths Browning, R. Tizard, D. O. Haskard, C. D. Benjamin, I. Dougas, and T. Kirchhausen

609 **A role for the epidermal growth factor-like domain of P-selectin in ligand recognition and cell adhesion.**
G. S. Kansas, K. B. Saunders, K. Ley, A. Zakrzewicz, R. M. Gibson, B. C. Furie, B. Furie, and T. F. Tedder

619 **Disruption of epithelial cell-matrix interactions induces apoptosis.**
S. M. Frisch and H. Francis

Volume 124, Number 5, March 1994

627 **Nuclear export of different classes of RNA is mediated by specific factors.**
A. Jarmolowski, W. C. Boelens, E. Izaurralde, and I. W. Mattaj

637 **A crucial role of the mitochondrial protein import receptor MOM19 for the biogenesis of mitochondria.**
T. A. A. Harkness, F. E. Nargang, I. van der Klei, W. Neupert, and R. Lill

649 **gp74 a membrane glycoprotein of the *cis*-Golgi network that cycles through the endoplasmic reticulum and intermediate compartment.**
J. Alcalde, G. Egea, and I. V. Sandoval

667 **A triggered mechanism retrieves membrane in seconds after Ca^{2+}-stimulated exocytosis in single pituitary cells.**
P. Thomas, A. K. Lee, J. G. Wong, and W. Almers

677 **Biogenesis of phagolysosomes proceeds through a sequential series of interactions with the endocytic apparatus.**
M. Desjardins, L. A. Huber, R. G. Parton, and G. Griffiths

689 **The coated pit and macropinocytic pathways serve distinct endosome populations.**
L. J. Hewlett, A. R. Prescott, and C. Watts

705 **The amino terminus of GLUT4 functions as an internalization motif but not an intracellular retention signal when substituted for the transferrin receptor cytoplasmic domain.**
R. J. Garippa, T. W. Judge, D. E. James, and T. E. McGraw

717 **Phorbol myristate acetate-mediated stimulation of transcytosis and apical recycling in MDCK cells.**
M. H. Cardone, B. L. Smith, W. Song, D. Mochly-Rosen, and K. E. Mostov

729 **Wnt-1 modulates cell–cell adhesion in mammalian cells by stabilizing β-catenin binding to the cell adhesion protein cadherin.**
L. Hinck, W. J. Nelson, and J. Papkoff

743 **Phosphorylation of the growth arrest–specific protein Gas2 is coupled to actin rearrangements during Go→G1 transition in NIH 3T3 cells.**
C. Brancolini and C. Schneider

757 **Binding of pEL98 protein, an S100-related calcium-binding protein, to nonmuscle tropomyosin.**
K. Takenaga, Y. Nakamura, S. Sakiyama, Y. Hasegawa, K. Sato, and H. Endo

769 **Identification of a novel microtubule binding and assembly domain in the developmentally regulated inter-repeat region of tau.**
B. L. Goode and S. C. Feinstein

783 **PCM-1, A 228-kD centrosome autoantigen with a distinct cell cycle distribution.**
R. Balczon, L. Bao, and W. E. Zimmer

795 **Centrin plays an essential role in microtubule severing during flagellar excision in *Chlamydomonas reinhardtii*.**
M. A. Sanders and J. L. Salisbury

807 **Two distinct, calcium-mediated, signal transduction pathways can trigger deflagellation in *Chlamydomonas reinhardtii*.**
L. M. Quarmby and H. C. Hartzell

817 **Versican is expressed in the proliferating zone in the epidermis and in association with the elastic network of the dermis.**
D. R. Zimmermann, M. T. Dours-Zimmermann, M. Schubert, and L. Bruckner-Tuderman

827 **Inhibition of desmin expression blocks myoblast fusion and interferes with the myogenic regulators myoD and myogenin.**
H. Li, S. K. Choudhary, D. J. Milner, M. I. Munir, I. R. Kuisk, and Y. Capetanaki

843 **Okadaic acid disrupts clusters of synaptic vesicles in frog motor nerve terminals.**
W. J. Betz and A. W. Henkel

855 **Structure and expression of fibrillin-2, a novel microfibrillar component preferentially located in elastic matrices.**
H. Zhang, S. D. Apfelroth, W. Hu, E. C. Davis, C. Sanguineti, J. Bonadio, R. P. Mecham, and F. Ramirez

865 ADDITIONS AND CORRECTIONS

Volume 124, Number 6, March 1994

871 **Subcellular partitioning of MRP RNA assessed by ultrastructural and biochemical analysis.**
K. Li, C. S. Smagula, W. J. Parsons, J. A. Richardson, M. Gonzalez, H. K. Hagler, and R. S. Williams

883 ***En bloc* incorporation of coatomer subunits during the assembly of COP-coated vesicles.**
S. Hara-Kuge, O. Kuge, L. Orci, M. Amherdt, M. Ravazzola, F. T. Wieland, and J. E. Rothman

893 **Evidence for defects in membrane traffic in *Paramecium* secretory mutants unable to produce functional storage granules.**
M.-C. Gautier, N. G. de Loubresse, L. Madeddu, and L. Sperling

903 **Ultrastructural analysis of the autophagic process in yeast: Detection of autophagosomes and their characterization.**
M. Baba, K. Takeshige, N. Baba, and Y. Ohsumi

915 **An internal region of the peroxisomal membrane protein PMP47 is essential for sorting to peroxisomes.**
M. T. McCammon, J. A. McNew, P. J. Willy, and J. M. Goodman

927 **Amino acid residues 24–31 but not palmitoylation of cysteines 30 and 45 are required for membrane anchoring of glutamic acid decarboxylase, GAD_{65}.**
Y. Shi, B. Veit, and S. Bækkeskov

935 **A glycosylphosphatidylinositol (GPI)-negative phenotype produced in *Leishmania major* by GPI phospholipase C from *Trypanosoma brucei*: Topography of two GPI pathways.**
K. Mensa-Wilmot, J. H. LeBowitz, K.-P. Chang, A. Al-Qahtani, B. S. McGwire, S. Tucker, and J. C. Morris

949 **Molecular characterization and tissue distribution of ZO-2, a tight junction protein homologous to ZO-1 and the *Drosophila* discs-large tumor suppressor protein.**
L. A. Jesaitis and D. A. Goodenough

963 **Coupling of ATPase activity and motility in smooth muscle myosin is mediated by the regulatory light chain.**
K. M. Trybus, G. S. Waller, and T. A. Chatman

971 **Fluorescent actin analogs with a high affinity for profilin in vitro exhibit an enhanced gradient of assembly in living cells.**
K. A. Giuliano and D. L. Taylor

985 **Intrinsic microtubule stability in interphase cells.**
A. Lieuvin, J.-C. Labbé, M. Dorée, and D. Job

997 **Abnormal fibrillin assembly by dermal fibroblasts from two patients with Marfan syndrome.**
C. M. Kielty and C. A. Shuttleworth

1005 **Satellite cell proliferation in the adult rat trigeminal ganglion results from the release of a mitogenic protein from explanted sensory neurons.**
J. Y. M. Wen, C. M. Morshead, and D. van der Kooy

1017 **NIH3T3 cells expressing the deleted in colorectal cancer tumor suppressor gene product stimulate neurite outgrowth in rat PC12 pheochromocytoma cells.**
W. E. Pierceall, K. R. Cho, R. H. Getzenberg, M. A. Reale, L. Hedrick, B. Vogelstein, and E. R. Fearon

1029 **Tyrosine kinase inhibitors can differentially inhibit integrin dependent and CAM-stimulated neurite outgrowth.**
E. J. Williams, F. S. Walsh, and P. Doherty

1039 **Expression of a β_1-related integrin by oligodendroglia in primary culture: Evidence for a functional role in myelination.**
S. Malek-Hedayat and L. H. Rome

1047 **Integrin cytoplasmic domains mediate inside-out signal transduction.**
T. E. O'Toole, Y. Katagiri, R. J. Faull, K. Peter, R. Tamura, V. Quaranta, J. C. Loftus, S. J. Shattil, and M. H. Ginsberg

1061 **Extracellular Ca^{2+} modulates leukocyte function-associated antigen-1 cell surface distribution on T lymphocytes and consequently affects cell adhesion.**
Y. van Kooyk, P. Weder, K. Heije, and C. G. Figdor

1071 **Novel N-glycosylation in eukaryotes: Laminin contains the linkage unit β-glucosylasparagine.**
R. Schreiner, E. Schnabel, and F. Wieland

1083 **A novel laminin E8 cell adhesion site required for lung alveolar formation in vitro.**
M. L. Matter and G. W. Laurie

1091 **High expression of 92-kD type IV collagenase (gelatinase B) in the osteoclast lineage during mouse development.**
P. Reponen, C. Sahlberg, C. Munaut, I. Thesleff, and K. Tryggvason

1103 **AUTHOR INDEX FOR VOLUME 124**

1109 **SUBJECT INDEX FOR VOLUME 124**